







	A	В	C D	E	F	G	H	1	J	
1	х	cos(x)Exp(-x)	Trigonometric funct	tions						
2	0	1								
3	0.1	0.900317								
4	} 0.3	0.707730678		Source Data					?   X	1
5	6.5	0.53228073		Course b and	-					-
6	0.7	0.37980939		Data Range	Series					
- 7	0.9	0.252727753								
8	1.1	0.150989033		1.2						
9	1.3	0.072901935		1						
10	1.5	0.015783603		A 8.0						
11	1.7	-0.023537766		0.6	)					
12	2 } 1.9	-0.048353974			\			E	- Series 1	<i>a</i> .
13	3 2.1	-0.061821651		0.4	1					
14	2.3	-0.066800063		0.2 -						
15	2.5	-0.065761873		0						
16	2.7	-0.060758632		-0.2 ľ			*	•		
17	2.9	-0.053425245								
18	3.1	-0.045010242								
19	3.3	-0.036421382		Data range:	=Sheet1	!\$A\$2:\$B\$34	1		<u>-</u> .	
20	); 3.5	-0.028278542		Carlos Inc	<b>.</b>					
21	3.7	-0.020968024		benes in:	C Rows					
22	2 3.9	-0.014694257			Coļum	ins				3
23	4.1	-0.009526371								
24	4.3	-0.005438267								
25	5 4.5	-0.00234173								
28	4.7	-0.000112678								
27	4.9	0.00138888								
28	3 } 5.1	0.002304435								
29	9   5.3	0.002767212		2	Cance		Back	Next >	Finish	1
30	5.5	0.002896171				`		<u></u>		
31	5.7	0.00279292	· warify +1	ot the	lata r	nac	alact	od in	ii) in a	1
32	2 5.9	0.002540776	• verny ti	iat the c	uala la	ange	select	eu m	11) 18 0	<u>► / ()</u>
33	6.1	0.002205341								<b>4</b> 0
34	ы – 63	0.001836045	$\rightarrow$ Next	, L						















