
Hearing through your eyes: Modulation of visually-evoked auditory response by transcranial electrical stimulation

Elliot Freeman, Chris Fassnidge Synøve Knudsen, Zainab Kazaz **Cognitive Neuroscience Research Unit** City University London UK

Background

- Some people 'hear' visual events as sounds¹
- They also show better discrimination of visual 'Morsecode' sequences, relative to auditory¹.
- We measured sequence discrimination while applying Transcranial Alternating Current Stimulation (TACS) over auditory vs visual cortex. • Does TACS effect depend on individual differences in ability to hear flashes, and visual:auditory discrimination?

Task



	Sample rhythmic sequences composed of flashes or beeps
	300 75 100 Time (ms)
	Example 'same' trial:
	interval 1:
sk e).	interval 2:
-/.	Example 'different' trial:
lz	interval 1:

^{ad} 'Morse code' sequences:

- Same/Different discrimination
- Unimodal Auditory and Visual
- Modality randomised each trial
- 8 Long and short events
- Events 3 to 7 shuffled in 'Different' trials


Methods

26 Participants:

- 18 to 55 years (M24, SD 8.69)
- including six self-reporting synaesthetes (e.g. graphemecolour, music-colour) and 14 musicians (musical training for 5 to 46 years (M15.3, SD 9.9)
- 23 were asked: 'did you hear

Results

TACS effect depends on a) 'hearing flashes'



Interpretation

a) Cortices inhibit each other²

- Inhibition carried by alpha oscillations³
- Alpha TACS biases competition between cortices
- Hearing-flashes people have less inhibition? \rightarrow weaker TACS effect

b) Supports 'unmasking' theory of synaesthesia⁴


c) Individuals also differ in **balance between cortices**


Indexed by V:A performance

taint sounds accompanying flashes?'

10Hz TACS:

- 1000µA bilateral for 15 minutes during task
- Stimulation vs Sham double-blinded; counterbalanced withinsession
- Sites: occipital pole (01, 02) vs temporal (T3, T4); counterbalanced between session





b) Hearing flashes is more prevalent in synaesthetes

$\chi^2 = 4.41$			Synaesthesia		
p = 0.04		No	Yes	Σ	
Hear	No	12	2	14	
flashes?	Yes	4	5	9	
	Σ	16	7	23	

But synaesthesia per se does not predict TACS effect

•TACS to dominant cortex disrupts inhibition of subdominant cortex

 Less effect of TACS on subdominant cortex as it is already inhibited. Further support for TACS biasing competition

Conclusions

- People who hear flashes use both vision and audition together to solve the sequencing task
- This may involve cooperative representations across visual and auditory cortices which resist disruptive effects of

References

- 1.Saenz, M., & Koch, C. (2008) Current Biology, 18(15), 650-651
- 2.Mattingley, J., Driver, J., Beschin, N., Robertson, I. (1997) *Neuropsychologia*, 35(6), 867-880; Iurilli, G. et al, (2012) *Neuron*, 73 814–828

3.Klimesch, W., Sauseng, P., & Hanslmayr, S. (2007). *Brain Research Reviews*, 53(1), 63-88

4.Grossenbacher, P. & Lovelace, C. (2001) Trends in Cognitive Sciences, 5(1), 36-41; Cohen Kadošh, R., Walsh, V. (2006) Current Biology, 16(22), R962-3.

Cognitive Neuroscience Research Unit, City University London

A

-0.5

0.5

Better V re A

---Occipital

Temporal

TACS.