
City University London

Term 1 Assessment, 2005/06

School of Engineering and Mathematical Sciences



Examination duration: 2 hours

Reading time: 10 minutes

This paper has: 8 pages

Authorized materials:

Electronic calculators and drawing instruments may be used.

Instructions to invigilators: Candidates are to complete the examination by writing and drawing **in this examination paper**, which must be collected at the end of the examination. No additional script books should be required.

Instructions to students:

Attempt **all** of the five questions. All questions are of equal value. Space is provided **in this paper** to complete all the questions. No additional script books should be required. The whole paper must be left for collection by the invigilators at the end of the examination.

Be sure to write your student name and group in the space provided above.

Max. No of Marks: 30

Question 1

Indicate whether the following statements are **T**rue or **F**alse by **ticking** the appropriate selection box.

| аррі | Opria | |
|----------|-------|---|
| T | F | |
| | | Ideation sketches are often done quickly in order to explore as many design |
| X | | ideas as possible. |
| | | Technical sketching is only appropriate for fine detail work near the conclusion |
| | X | |
| | ^ | of the design process. |
| | V | Technical sketching is only appropriate for capturing simplified conceptions of |
| | X | the design very early in the design process. |
| | | The width and depth axes of an isometric sketch are drawn 45° above the |
| | X | horizontal. |
| | | A principal view in a sketch is always at right angles to the other principal |
| X | | views. |
| | | 4 |
| | X | The principal view is another name for the front view. |
| | - ` ` | |
| X | | A face is joined to other faces via edges. |
| ^ | | |
| | v | An edge is only associated with one face in a solid object. |
| | X | |
| | | Perspective projection creates a more realistic image of an object than parallel |
| X | | projection. |
| | | 1 * * |
| | X | A perspective pictorial drawing is less realistic but easier to draw than an |
| | Λ | isometric pictorial. |
| X | | A multiview and axonometric pictorial both use parallel projection. |
| ^ | | |
| | V | Parallel projection can only be used with objects with parallel edges. |
| | X | |
| | | Orienting a face and the projection plane so that they are parallel creates an edge |
| X | | view of the face. |
| | | In a valid wireframe model, each face must contain at least three vertices and |
| X | | · · |
| | | form a closed loop. |
| | | When laying out orthographic views, it is the usual practice to consider the |
| | | frontal plane as lying in the plane of the paper, and the horizontal and profile |
| X | | planes as being rotated into the frontal plane. |
| | | Perspective projection is sometimes substituted for parallel projection in a |
| | X | multiview projection. |
| | | The top view is always vertically above the front view, but the side view may |
| | X | not always be horizontally in line with the front view. |
| | | The right side view is created using a profile plane of projection. |
| X | | The right side view is created using a profile plane of projection. |
| | | One much long with winefuence medala is embissible |
| X | | One problem with wireframe models is ambiguity. |
| <u> </u> | | |
| | | The front of the object in both the top and side views faces the front view. |
| X | | |
| | v | There are only three principal views of an object. |
| | X | |
| \ | | First-angle projection is the multiview projection convention used in UK. |
| X | | ger projection projection south moth |
| 1 | 1 | |

| Т | F | |
|---|---|---|
| - | X | In making an orthographic multiview drawing, one view should be completed before starting the others. |
| | | The alphabet of lines is specified by British standards. |
| X | | |
| | X | Ordinarily, in selecting the front view, the object is placed to obtain the smallest number of hidden surfaces. |
| | X | Points of tangency between surfaces are represented with centre-lines in a multiview drawing. |
| X | | A fillet is a rounded interior corner. |
| Х | | In making any orthographic multiview drawing, true projection is never violated. |
| X | | Hidden lines should be omitted on an isometric drawing, unless absolutely necessary for clarity. |
| - | V | The angles of an inclined line in an orthographic view can be transferred |
| | X | directly to an isometric drawing. |
| X | | An oblique drawing is drawn with features in two of the dimensions in true size and shape. |
| V | | An isometric drawing of an object is slightly larger than the isometric |
| X | | projection. A cabinet oblique view is drawn true length along the receding axis. |
| X | | A cabinet oblique view is drawn true length along the receding axis. |
| X | | An auxiliary view of an inclined surface is not one of the principal views. |
| X | | A tertiary auxiliary view is used to show the true size and shape of an oblique surface. |
| | Х | An auxiliary view of an inclined surface is generated by defining a line of sight perpendicular to its edge view. |
| | | An oblique line will appear foreshortened in all three principal projection |
| | X | planes. |
| X | | In a sectional view, it is considered good practice to omit all hidden surfaces unless such surfaces are necessary to clarify the representation of the object. |
| X | | An auxiliary view of an inclined surface is generated by defining a line of sight perpendicular to its normal view. |
| | Х | For an offset section, it is common practice to use visible lines in the section |
| | | view to show the bends in the cutting plane. Thin features, such as webs, are left unsectioned when cut parallel to the feature |
| X | | by the cutting plane. |
| X | | A half section is used when a view is needed showing both the exterior and interior constructions of a symmetrical object. |
| | X | A detail drawing is a complete set of standardized drawings specifying the |
| | ^ | manufacturing and assembly of a product. An assembly drawing shows how a group of parts in a design go together. |
| X | | The accountry drawing one is now a group of parts in a design go together. |
| X | | A revolved section is a section, which has been rotated 90° and placed adjacent |
| | | to the orthographic view. In an assembly drawing, standard parts such as fasteners bushings, bearings, |
| | X | etc. are not drawn as details. |


Q2: 6 marks

Q2a: 3/6 marks; Q2b: 3/6 marks


Question 2

Internal Computer Representation (ICR) is the method by which real object is represented in the computer memory by the CAD system.

(a) List 4 phases of the ICR and outline which component of CAD system is responsible for which of these phases.



(b) Describe **information model** in more details and list all 5 types of information models. Describe which of these is used in AutoCAD.



c)

Q3: 6 marks

Each correct answer 0.5 marks

Question 3

Match pictorial and orthographic drawings in Figure 3 by writing the number of a matching orthographic drawing next to the letter of a pictorial drawing.




Figure 3

Q4: 6 marks

Each correct top view 1 mark Each correct isometric view 2 marks

Question 4

Draw top view of objects when indicated. Draw isometric views where indicated.




Figure 4

Each view 1 mark; Dimensions 3 marks

An isometric view of a Safety Bracket is shown in figure 5.

Make a fully-dimensioned detailed drawing of the safety bracket on page 9. Draw the following views using scale 1:1:

- a) a front view from A
- b) a side view from B
- c) a top view.

Use 1st angle projection.




Figure 5

